



ELSEVIER

Clinica Chimica Acta 277 (1998) 207–208



Author index

Volume 277 (1998)

- Abou-Seif, M.A.M., Elgendy, E.M.E., Photolysis and membrane lipid peroxidation of human erythrocytes by *m*-chloroperbenzoic acid 277, 1
- Aegerter, P., see Muller, F. 277, 65
- Akiyama, T., see Imoto, M. 277, 99
- Atger, V., see Couderc, R. 277, 141
- Bain, S.C., see Chowdhury, T.A. 277, 153
- Barnett, A.H., see Chowdhury, T.A. 277, 153
- Bartlett, W.A., see Chowdhury, T.A. 277, 153
- Basso, D., see Fogar, P. 277, 181
- Benko, B., see Turk, Z. 277, 159
- Berweger, C.D., Müller-Plathe, F., Hänseler, E., Keller, H., Estimating imprecision profiles in biochemical analysis 277, 107
- Brigato, L., see Fogar, P. 277, 181
- Brouwer, D.A.J., Molin, F., van Beusekom, C.M., van Doormaal, J.J., Muskiet, F.A.J., Influence of fasting on circulating levels of α -tocopherol and β -carotene. Effect of short-term supplementation 277, 127
- Cambillaud, M., see Couderc, R. 277, 141
- Chowdhury, T.A., Dyer, P.H., Bartlett, W.A., Legge, E.S., Durbin, S.M., Barnett, A.H., Bain, S.C., Glomerular filtration rate determination in diabetic patients using iothexol clearance — comparison of single and multiple plasma sampling methods 277, 153
- Corberand, J.X., see Laharrague, P. 277, 77
- Corsini, A., see Fogar, P. 277, 181
- Cosson, C., see Couderc, R. 277, 141
- Couderc, R., Peynet, J., Cambillaud, M., Tallet, F., Cosson, C., Lefèvre, G., Atger, V., Effects of postprandial hyperlipemia on the vitamin E content of lipoproteins 277, 141
- Covas, M.I., see Martín, S. 277, 191
- de Miguel, F., Motellón, J.L., Hurtado, J., Jiménez, F.J., Esbrit, P., Comparison of two immuno-radiometric assays for parathyroid hormone-related protein in the evaluation of cancer patients with and without hypercalcemia 277, 171
- Demiriz Kemerli, G., see Konukoğlu, D. 277, 91
- Denier, C.J., see Laharrague, P. 277, 77
- De Paoli, M., see Fogar, P. 277, 181
- Dierich, M.P., see Widner, B. 277, 51
- Dousset, J.-C., see Gouazé, V. 277, 25
- Dousset, N., see Gouazé, V. 277, 25
- Durbin, S.M., see Chowdhury, T.A. 277, 153
- Dyer, P.H., see Chowdhury, T.A. 277, 153
- Elgendy, E.M.E., see Abou-Seif, M.A.M. 277, 1
- Esbrit, P., see de Miguel, F. 277, 171
- Faïna, S., see Muller, F. 277, 65
- Fillola, G., see Laharrague, P. 277, 77
- Fogar, P., Basso, D., Pasquali, C., Piva, M.G., Brigato, L., De Paoli, M., Galeotti, F., Corsini, A., Plebani, M., Portal but not peripheral serum levels of interleukin 6 could interfere with glucose metabolism in patients with pancreatic cancer 277, 181
- Fuchs, D., see Widner, B. 277, 51
- Furuta, I., see Imoto, M. 277, 99
- Galeotti, F., see Fogar, P. 277, 181
- Giraudet, P., see Muller, F. 277, 65
- Gouazé, V., Dousset, N., Dousset, J.-C., Valdiguié, P., Effect of nicotine and cotinine on the susceptibility to in vitro oxidation of LDL in healthy non smokers and smokers 277, 25
- Grozdea, J., see Laharrague, P. 277, 77
- Hänseler, E., see Berweger, C.D. 277, 107

- Hausen, A., see Widner, B. 277, 51
 Hayırlioğlu, A., see Konukoğlu, D. 277, 91
 Horiuchi, A., see Imoto, M. 277, 99
 Hurtado, J., see de Miguel, F. 277, 171
- Imoto, M., Ishikawa, K., Yamamoto, K., Sinohara, H., Sakurabayashi, I., Matsuura, K., Koyama, A., Horiuchi, A., Akiyama, T., Ohba, Y., Furuta, I., A case of multiple myeloma IgG(λ) type with low molecular weight κ light chain 277, 99
 Irino, T., see Matsushita, M. 277, 13
 Ishikawa, K., see Imoto, M. 277, 99
- Jenewein, D., see Widner, B. 277, 51
 Jenewein, I., see Widner, B. 277, 51
 Jiménez, F.J., see de Miguel, F. 277, 171
- Keller, H., see Berweger, C.D. 277, 107
 Komoda, T., see Matsushita, M. 277, 13
 Konukoğlu, D., Serin, Ö., Demiriz Kemerli, G., Serin, E., Hayırlioğlu, A., Öner, B., A study on the carotid artery intima-media thickness and its association with lipid peroxidation 277, 91
 Koyama, A., see Imoto, M. 277, 99
- Ladona, M.G., see Martín, S. 277, 191
 Laharrague, P., Denier, C.J., Grozdea, J., Perié, J.-J., Corberand, J.X., Fillola, G., Vergnes, H., Atypical neutrophil alkaline phosphatase associated with impaired neutrophil functions 277, 77
 Le Bourdellès, S., see Muller, F. 277, 65
 Lefèvre, G., see Couderc, R. 277, 141
 Legge, E.S., see Chowdhury, T.A. 277, 153
- Martín, S., Ladona, M.G., Pedro-Botet, J., Covas, M.I., Rubiés-Prat, J., Differential expression of double-band apolipoprotein(a) phenotypes in healthy Spanish subjects detected by SDS-agarose immunoblotting 277, 191
 Matsushita, M., Irino, T., Stigbrand, T., Nakajima, T., Komoda, T., Changes in intestinal alkaline phosphatase isoforms in healthy subjects bearing the blood group secretor and non-secretor 277, 13
- Matsuura, K., see Imoto, M. 277, 99
 Mesić, R., see Turk, Z. 277, 159
 Mirlach, A., see Widner, B. 277, 51
 Molin, F., see Brouwer, D.A.J. 277, 127
 Motellón, J.L., see de Miguel, F. 277, 171
 Muller, F., Ngo, S., Aegerter, P., Le Bourdellès, S., Taguel, V., Rebiffé, M., Faïna, S., Giraudet, P., Evaluation of the Abbott system in maternal serum screening for Down syndrome: the AxSym analyzer, AFP and hCG reagents and Maciel Prenatal Interpretive Software 277, 65
 Müller-Plathe, F., see Berweger, C.D. 277, 107
 Muskiet, F.A.J., see Brouwer, D.A.J. 277, 127
- Nakajima, T., see Matsushita, M. 277, 13
 Ngo, S., see Muller, F. 277, 65
- Ohba, Y., see Imoto, M. 277, 99
 Öner, B., see Konukoğlu, D. 277, 91
- Pasquali, C., see Fogar, P. 277, 181
 Pedro-Botet, J., see Martín, S. 277, 191
 Pérez, L.F., Tutor, J.C., Assay of β -N-acetylhexosaminidase isoenzymes in urine by means of determination of their activation energy without removing endogenous low-molecular-mass components 277, 39
 Perié, J.-J., see Laharrague, P. 277, 77
 Peynet, J., see Couderc, R. 277, 141
 Piva, M.G., see Fogar, P. 277, 181
 Plebani, M., see Fogar, P. 277, 181
- Rebiffé, M., see Muller, F. 277, 65
 Rubiés-Prat, J., see Martín, S. 277, 191
- Sakurabayashi, I., see Imoto, M. 277, 99
 Serin, E., see Konukoğlu, D. 277, 91
 Serin, Ö., see Konukoğlu, D. 277, 91
 Sinohara, H., see Imoto, M. 277, 99
 Stigbrand, T., see Matsushita, M. 277, 13
- Taguel, V., see Muller, F. 277, 65
 Tallet, F., see Couderc, R. 277, 141
 Turk, Z., Mesić, R., Benko, B., Comparison of advanced glycation endproducts on haemoglobin (Hb-AGE) and haemoglobin A_{1c} for the assessment of diabetic control 277, 159
 Tutor, J.C., see Pérez, L.F. 277, 39
- Valdiguié, P., see Gouazé, V. 277, 25
 van Beusekom, C.M., see Brouwer, D.A.J. 277, 127
 van Doormaal, J.J., see Brouwer, D.A.J. 277, 127
 Vergnes, H., see Laharrague, P. 277, 77
- Wachter, H., see Widner, B. 277, 51
 Widner, B., Mirlach, A., Hausen, A., Jenewein, I., Jenewein, D., Dierich, M.P., Wachter, H., Fuchs, D., Determination of silicon in urine by inductive coupled plasma-optical emission spectroscopy 277, 51
- Yamamoto, K., see Imoto, M. 277, 99



ELSEVIER

Clinica Chimica Acta 277 (1998) 209–211



Subject index

Volume 277 (1998)

- β -N-Acetylhexosaminidase isoenzymes**; Spectrophotometric method; Urea 277, 39
- Adipose tissue**; α -Tocopherol; β -Carotene; Plasma; Fasting 277, 127
- Advanced glycation end-products**; Diabetes mellitus; Glycated haemoglobin 277, 159
- Analytical method**; Imprecision profile; Computer program; IMPROFIL 277, 107
- Apo(a) phenotypes**; Human apolipoprotein(a) polymorphism; Immunoblotting; Lipoprotein(a); Protein expression; SDS-SAGE 277, 191
- Atherosclerosis**; Carotid intima-media thickness; Lipid peroxidation; Malondialdehyde; Glutathione; Type II diabetes; Hypertension 277, 91
- Atherosclerosis**; LDL peroxidation; Nicotine; Cotinine; Lipid hydroperoxides; Thiobarbituric acid-reactive substances 277, 25
- Blood groups**; Intestinal alkaline phosphatase; High molecular form; Normal molecular form; Polyacrylamide gel electrophoresis; Triton X-100 277, 13
- β -Carotene**; α -Tocopherol; Plasma; Adipose tissue; Fasting 277, 127
- Carotid intima-media thickness**; Lipid peroxidation; Atherosclerosis; Malondialdehyde; Glutathione; Type II diabetes; Hypertension 277, 91
- Chronic pancreatitis**; Interleukin 6; Pancreatic cancer; Diabetes mellitus 277, 181
- Computer program**; Imprecision profile; Analytical method; IMPROFIL 277, 107
- Cotinine**; Atherosclerosis; LDL peroxidation; Nicotine; Lipid hydroperoxides; Thiobarbituric acid-reactive substances 277, 25
- Creatinine**; Silicon; HPLC; Spot urinary measurement; Follow-up 277, 51
- Diabetes mellitus**; Advanced glycation end-products; Glycated haemoglobin 277, 159
- Diabetes mellitus**; Interleukin 6; Pancreatic cancer; Chronic pancreatitis 277, 181
- Electron microscopy**; Neutrophil alkaline phosphatase; Granulocytes; Kinetic studies; Neutrophil functions 277, 77
- Fasting**; α -Tocopherol; β -Carotene; Plasma; Adipose tissue 277, 127
- Follow-up**; Silicon; HPLC; Spot urinary measurement; Creatinine 277, 51
- Glomerular filtration rate**; Iohexol; Plasma clearance 277, 153
- Glutathione**; Carotid intima-media thickness; Lipid peroxidation; Atherosclerosis; Malondialdehyde; Type II diabetes; Hypertension 277, 91

0009-8981/98/\$ – see front matter Elsevier Science B.V. All rights reserved.

PII: S009-8981(98)00160-0

- Glycated haemoglobin;** Diabetes mellitus; Advanced glycation endproducts 277, 159
- Granulocytes;** Neutrophil alkaline phosphatase; Kinetic studies; Electron microscopy; Neutrophil functions 277, 77
- HPLC;** Silicon; Spot urinary measurement; Creatinine; Follow-up 277, 51
- High molecular form;** Intestinal alkaline phosphatase; Normal molecular form; Polyacrylamide gel electrophoresis; Triton X-100; Blood groups 277, 13
- Human apolipoprotein(a) polymorphism;** Apo(a) phenotypes; Immunoblotting; Lipoprotein(a); Protein expression; SDS-SAGE 277, 191
- Hypercalcemia;** Tumors; Parathyroid hormone-related protein; Immunoradiometric assay 277, 171
- Hypertension;** Carotid intima-media thickness; Lipid peroxidation; Atherosclerosis; Malondialdehyde; Glutathione; Type II diabetes 277, 91
- IMPROFIL;** Imprecision profile; Analytical method; Computer program 277, 107
- Immunoblotting;** Apo(a) phenotypes; Human apolipoprotein(a) polymorphism; Lipoprotein(a); Protein expression; SDS-SAGE 277, 191
- Immunoradiometric assay;** Tumors; Hypercalcemia; Parathyroid hormone-related protein 277, 171
- Imprecision profile;** Analytical method; Computer program; IMPROFIL 277, 107
- Interleukin 6;** Pancreatic cancer; Chronic pancreatitis; Diabetes mellitus 277, 181
- Intestinal alkaline phosphatase;** High molecular form; Normal molecular form; Polyacrylamide gel electrophoresis; Triton X-100; Blood groups 277, 13
- Iohexol;** Glomerular filtration rate; Plasma clearance 277, 153
- Kinetic studies;** Neutrophil alkaline phosphatase; Granulocytes; Electron microscopy; Neutrophil functions 277, 77
- LDL peroxidation;** Atherosclerosis; Nicotine; Cotinine; Lipid hydroperoxides; Thiobarbituric acid-reactive substances 277, 25
- Light chain deletion disease;** Multiple myeloma; Microheterogeneity; NH₂-terminal amino acid sequence 277, 99
- Lipid hydroperoxides;** Atherosclerosis; LDL peroxidation; Nicotine; Cotinine; Thiobarbituric acid-reactive substances 277, 25
- Lipid peroxidation;** Carotid intima-media thickness; Atherosclerosis; Malondialdehyde; Glutathione; Type II diabetes; Hypertension 277, 91
- Lipoprotein(a);** Apo(a) phenotypes; Human apolipoprotein(a) polymorphism; Immunoblotting; Protein expression; SDS-SAGE 277, 191
- Lipoproteins;** Vitamin E (alpha-tocopherol); Postprandial 277, 141
- Malondialdehyde;** Carotid intima-media thickness; Lipid peroxidation; Atherosclerosis; Glutathione; Type II diabetes; Hypertension 277, 91
- Maternal serum markers;** Trisomy 21; Risk evaluation 277, 65
- Membrane lipid peroxidation;** Photo-oxidation; Oxygen radical species 277, 1
- Microheterogeneity;** Multiple myeloma; Light chain deletion disease; NH₂-terminal amino acid sequence 277, 99
- Multiple myeloma;** Light chain deletion disease; Microheterogeneity; NH₂-terminal amino acid sequence 277, 99
- NH₂-terminal amino acid sequence;** Multiple myeloma; Light chain deletion disease; Microheterogeneity 277, 99
- Neutrophil alkaline phosphatase;** Granulocytes; Kinetic studies; Electron microscopy; Neutrophil functions 277, 77
- Neutrophil functions;** Neutrophil alkaline phosphatase; Granulocytes; Kinetic studies; Electron microscopy 277, 77

- Nicotine;** Atherosclerosis; LDL peroxidation; Cotinine; Lipid hydroperoxides; Thiobarbituric acid-reactive substances 277, 25
- Normal molecular form;** Intestinal alkaline phosphatase; High molecular form; Polyacrylamide gel electrophoresis; Triton X-100; Blood groups 277, 13
- Oxygen radical species;** Membrane lipid peroxidation; Photo-oxidation 277, 1
- Pancreatic cancer;** Interleukin 6; Chronic pancreatitis; Diabetes mellitus 277, 181
- Parathyroid hormone-related protein;** Tumors; Hypercalcemia; Immunoradiometric assay 277, 171
- Photo-oxidation;** Membrane lipid peroxidation; Oxygen radical species 277, 1
- Plasma clearance;** Glomerular filtration rate; Iohexol 277, 153
- Plasma;** α -Tocopherol; β -Carotene; Adipose tissue; Fasting 277, 127
- Polyacrylamide gel electrophoresis;** Intestinal alkaline phosphatase; High molecular form; Normal molecular form; Triton X-100; Blood groups 277, 13
- Postprandial;** Vitamin E (alpha-tocopherol); Lipoproteins 277, 141
- Protein expression;** Apo(a) phenotypes; Human apolipoprotein(a) polymorphism; Immunoblotting; Lipoprotein(a); SDS-SAGE 277, 191
- Risk evaluation;** Trisomy 21; Maternal serum markers 277, 65
- SDS-SAGE;** Apo(a) phenotypes; Human apolipoprotein(a) polymorphism; Immunoblotting; Lipoprotein(a); Protein expression 277, 191
- Silicon;** HPLC; Spot urinary measurement; Creatinine; Follow-up 277, 51
- Spectrophotometric method;** β -N-Acetylhexosaminidase isoenzymes; Urea 277, 39
- Spot urinary measurement;** Silicon; HPLC; Creatinine; Follow-up 277, 51
- Thiobarbituric acid-reactive substances;** Atherosclerosis; LDL peroxidation; Nicotine; Cotinine; Lipid hydroperoxides 277, 25
- α -Tocopherol;** β -Carotene; Plasma; Adipose tissue; Fasting 277, 127
- Trisomy 21;** Maternal serum markers; Risk evaluation 277, 65
- Triton X-100;** Intestinal alkaline phosphatase; High molecular form; Normal molecular form; Polyacrylamide gel electrophoresis; Blood groups 277, 13
- Tumors;** Hypercalcemia; Parathyroid hormone-related protein; Immunoradiometric assay 277, 171
- Type II diabetes;** Carotid intima-media thickness; Lipid peroxidation; Atherosclerosis; Malondialdehyde; Glutathione; Hypertension 277, 91
- Urea;** β -N-Acetylhexosaminidase isoenzymes; Spectrophotometric method 277, 39
- Vitamin E (alpha-tocopherol);** Lipoproteins; Postprandial 277, 141